

# Notice of Allowability

Application No.

10/797,406

Examiner

Paul Durand

Applicant(s)

VIAUD ET AL.

Art Unit

3721

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 3/28/2005.
2. ☒ The allowed claim(s) is/are 1 and 3-8.
3. ☒ The drawings filed on 10 March 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 3/10/2004
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

***Response to Arguments***

1. Applicant's arguments, filed 3/28/2005, with respect to the rejection(s) of the claim(s) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn.

The examiner agrees with applicant that the teaching of Spatafora is non-analogous art and does not solve the problem that the applicant is trying to overcome. The amendment below is for the purpose of placing the sensing arrangement in a "means plus function" format.

**EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jimmie Oaks on 6/10/2005.

- a. In claim 1, line 9, removed "at least one sensor mounted to said baling machine at a location for detecting whether the wrapping sheet is present on the surface of the bale." and inserted –means for sensing the presence of the wrapping sheet on the surface of the bale while in the baling chamber.—
- b. In claim 3, line 1, removed "sensor" and inserted –sensing means--.
- c. In claim 4, line 1, removed "sensor" and inserted –sensing means--.

- d. In claim 5, line 1, after "wherein", inserted --said sensing means includes--.
- e. In claim 5, line 2, removed "are provided"
- f. In claim 6, line 4, removed "sensor" and inserted --sensing means--.
- g. In claim 7, line 2, removed "sensor" and inserted --sensing means--.
- h. In claim 8, line 1, removed "sensor" and inserted --sensing means--.

### **REASONS FOR ALLOWANCE**

3. The following is an examiner's statement of reasons for allowance: the baling machine, with a sensing arrangement comprised of sensors which are mounted in proximity to the baled material and detect the presence of the wrapping material on surface of the bale itself has distinguished itself over the prior art of Kluver which teaches that use of a sensing arrangement which detects the presence of wrapping material in the feed section only.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


### ***Conclusion***

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Durand whose telephone number is 571-272-4459. The examiner can normally be reached on 0730-1800, Monday - Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi I. Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul Durand  
June 10, 2005

  
Stephen F. Gerrity  
Primary Examiner  
571-272-4460